




BEST DEALS

2022-2



MAKE IT SMARTER


| TESAtechnology.com



Valid until 12/31/2022
Prices exclude VAT

New product: TWIN-SURF roughness gage

- Ultra-compact, portable and robust
- Interchangeable probes
- 90° probe orientation for cross-sectional measurements
- Standard version connectable to a computer via cable
- Bluetooth® version wirelessly connects to a computer, tablet, or smartphone
- Free TESA DATA-STUDIO software (basic version) included for creating measurement reports, statistical management, measurement parameters, etc



Order number	EDP number	Description	Reg. price
			[\$]
06930014	77162	TWIN-SURF roughness gage	3154
06930015	77163	TWIN-SURF roughness gage, Bluetooth® version	3154

The TWIN-SURF (Bluetooth® version) is only available in countries where it is officially certified. Visit our website to know the list of countries in which this product is available.



INTERRAPID 312 Series Analog lever-type dial test indicators

- Large measuring range
- Robust construction
- Dovetail mounting and a Ø 0.157 inch swiveling shank
- Bidirectional measurement
- Includes a revolution counter for a safe reading
- Always the same rotation direction of the pointer

Up to .060 inch
measuring range!



74.111370



74.111371



74.111377



74.111372



74.111373



74.111378

Order number	EDP number	Series	Range [in]	Scale interval [in]	Circular scale	Ø Dial [in]	Reg. price [\$]	Promo price [\$]
74.111370	42775	312b-1	.060	.0005	0 - 15 - 0	1.5	319	239
74.111371	86150	312b-2	.060	.0005	0 - 15 - 0	1.2	319	239
74.111372	41680	312b-3	.016	.0001	0 - 4 - 0	1.5	392	294
74.111373	41681	312b-4	.016	.0001	0 - 4 - 0	1.2	397	297
74.111377	41685	312b-1V	.060	.0005	0 - 15 - 0	1.5	342	256
74.111378	41686	312b-2V	.060	.0005	0 - 15 - 0	1.2	335	251

TESA Brown & Sharpe MICROMASTER micrometers

Large easy-to-read digital display



06030010



06030020




06030029



Order number	EDP number	Description	Measuring range [in]	SCS certificate	Reg. price [\$]	Promo price [\$]
06030010	26918	MICROMASTER EASY	0 - 1.2	✓	435	391
06030020	21231	MICROMASTER IP54	0 - 1.2	✓	448	403
06030021	21232	MICROMASTER IP54	1 - 2	✓	556	500
06030022	21233	MICROMASTER IP54	2 - 3	✓	620	558
06030023	21234	MICROMASTER IP54	3 - 4	✓	691	621
06030029	21235	Set of 3 MICROMASTER IP54 with RS232 output	0 - 3	✓	1677	1509

TWIN-CAL IP67 universal digital calipers

- High degree of protection against dust and liquids (even when the data sending cap is connected)
- Easy-to-read with large high-contrast display
- Comfortable handling with ergonomic grip for ease of use
- Long battery life avoiding frequent battery changes
- Sends values to computer via TLC port (cable or wireless)



THINK BIG!
With the Trio-Pack
each instrument is less than \$177!



Order number	EDP number	Description	Measuring range [in]	Degree of protection	Thumb roller	Depth rod	Data output	Reg. price [\$]	Promo price [\$]
00530319	76730	TWIN-CAL IP67	6	IP67	Without	Square	TLC	251	188
00530320	76731	TWIN-CAL IP67	6	IP67	Without	Round	TLC	251	188
00530321	76732	TWIN-CAL IP67	6	IP67	With	Round	TLC	251	188
00530322	76733	TWIN-CAL IP67	8	IP67	With	Square	TLC	342	256
00530323	76734	TWIN-CAL IP67	12	IP67	With	Square	TLC	468	351
00530319P	77143	Trio-Pack TWIN-CAL IP67	6	IP67	Without	Square	TLC	702	526
00530320P	77144	Trio-Pack TWIN-CAL IP67	6	IP67	Without	Round	TLC	702	526


Accessories

Order number	EDP number	Description	Reg. price [\$]	Promo price [\$]
04760183	76653	TLC-BLE Bluetooth® emitter + USB dongle receiver + 4.5 foot extension cable set	122	109
04760184	76654	TLC-BLE Bluetooth® emitter	71	63


This product is only available in countries where it is officially certified.
Visit our website to know the list of countries in which the TESA TLC-BLE wireless Bluetooth® emitter is available.

Brown & Sharpe DIAL-CAL dial calipers

- Stainless steel construction and silky-smooth slider operation
- Robust construction with housing and protection of the gear mechanism
- Integrated shockproof system guaranteeing longevity and stability of results over time
- Easy readings with big high-contrast dial



599-579-4



599-579-5



599-579-4P
599-579-5P

THINK BIG!
With the Trio-Pack each instrument
is less than \$130!


Order number	EDP number	Description	Measuring range [in]	Thumb roller	Scale interval [in]	Reg. price [\$]	Promo price [\$]
599-579-4	51774	DIAL-CAL 6 inch, white face	0 – 6	Without	0.001	180	135
599-579-5	51879	DIAL-CAL 6 inch, black face	0 – 6	Without	0.001	180	135
599-579-4P	27595	TRIO-PACK: DIAL-CAL 6 inch, white face	0 – 6	Without	0.001	514	385
599-579-5P	27596	TRIO-PACK: DIAL-CAL 6 inch, black face	0 – 6	Without	0.001	514	385
599-579-8-1	27594	DIAL-CAL 8 inch, white face	0 – 8	With	0.001	335	251
599-579-8-5-1	27593	DIAL-CAL 8 inch, black face	0 – 8	With	0.001	335	251
599-579-12-1	27592	DIAL-CAL 12 inch, white face	0 – 12	With	0.001	426	319
599-579-12-5-1	27591	DIAL-CAL 12 inch, black face	0 – 12	With	0.001	426	319

New product : TWIN-T20 display unit

- Robust, for laboratory and workshop use
- Large color screen for comfortable reading
- To connect inductive probe and/or TESA measuring instruments (caliper, micrometer, dial gage, and more)
- Easy handling
- 4 different display styles
- Touch screen



04430014



Order number	EDP number	Description	Reg. price	Promo price
			[\$]	[\$]
04430014	76874	TWIN-T20 display	1729	1550

Measuring probes with detachable cable

These probes allow users to make measuring station maintenance faster and less expensive.

With the ability to dismount the probe from its cable, changing operations are easier and consume less time and resources.



Order number	EDP number	Description	Measuring range mm	Degree of protection	Protective bellow	Cable orientation	Reg. price	Promo price
							[\$]	[\$]
03230119	76746	FMS100 probe	± 2	IP50	Without	Axial	737	552
03230128	76749	FMS102 probe	± 2	IP50	Without	Radial	829	621
03230141	76750	GT61 probe	± 5		Viton®	Axial	522	391
03230142	76751	GT62 probe	± 5		Viton®	Radial	536	402
03210934	76744	GT21 probe	± 1		Nitrile	Axial	332	249
03210944	76745	GT22 probe	± 1		Nitrile	Radial	344	258

Accessories

Order number	EDP number	Description	Reg. price	Promo price
			[\$]	[\$]
03240302	76771	Cable for detachable probes, L = 2 m	110	82
03240310	76939	Cable for detachable probes, L = 10 m	263	197

New product: MICRO-SQUARE perpendicularity measurement gage

- Carriage mounted on an ultra-precise guide
- Easy handling
- Probe holder for easy measurement of hard-to-reach interior surfaces
- Insert for GT31 lever indicator with cylindrical probing surface for line contact
- Flanged measuring base and mounting bracket included to secure the position of the workpiece
- Kits include: TESA MICRO-SQUARE, TWIN-T10 display, GT31 probe, SCS calibration certificate

Only 1.5 μm perpendicularity error over 350 mm!

\$6680



05330400

$\leq 0.5 \mu\text{m}$ flatness error!

\$2880



05360030

\$240



03260510

\$675



05360008

Order number	EDP number	Description	Reg. price	Promo price
			[\$]	[\$]
05330400	77149	MICRO-SQUARE 350 set	7427	6680
05330401	77150	MICRO-SQUARE 600 set	8366	7520

Accessories

Order number	EDP number	Description	Reg. price	Promo price
			[\$]	[\$]
05360008	77153	Probe holder, L = 200 mm	750	675
03260510	77155	Cylindrical-shaped insert, $\varnothing 3 \times 3.5 \text{ mm}$, L = 32 mm	320	240
05360030	77154	Base square check + SCS calibration certificate	3208	2880

We reserve the right to make changes to our products, especially due to technical improvements and further developments. All illustrations and technical data are therefore without guarantee. All prices shown are non-binding price recommendations.